## Bill of Materials Listing

TransArctic Canada Inc.

8/5/2008 Page 1 of 1


					Fage For F
Product Number Line Component Pro	Description d# Description	Bin	Date <sub>Unit</sub>	Weight Uof M <sub>Qty</sub>	Yield
KMC61374	Mt Kit, ISB 6.7L, TH C2, TM-21, MAX, '07		7/31/2007	14.62	0
10 BEL11176	Belt, A gr, 1176mm (46.3") (17463)		each	1	
20 BMC59033	Bkt, Main, Weldmt, ISB, A3FE		each	1	
30 BMC59035	Bkt, Cradle, BTM, 87mm, ISB, A3FE		each	1	
40 BMC59037	Bkt, Spacer, Bar, ISB, A3FE		each	1	
50 PUL10094	Pulley, Idler, SA,94d x 18w,Blk (IP-103)		each	1	
60 PUL67002	Pulley, Fan, ADD-ON, Cummins, ISB,6.7,SA		each	1	
70 SCD12717	Spacer, Col, Drl, 12.7mm x 25.4o x17i		each	1	
80 SLV17010	Sleeve, Pulley, 16.90 x 22.23mm x 10.32i		each	1	
90 TEN00002	Tenr,Spring,Un-Direct,90d,3/8 x4.5"/3.5"		each	1	
100 KBC61374	Bag Kit, Fasteners, KMC61374/1074		each	1	


## Bill of Materials Listing


#### TransArctic Canada Inc.

8/5/2008 Page 1 of 1

Uof M	Weight <sub>Qty</sub>	Date <sup>Unit</sup>	Bin	Description od# Description	Product Number Line Component Pro
	0.98	7/26/2006		Bag Kit, Fasteners, KMC61374/1074	KBC61374
	2	each		Bolt, Hex, 10 x 1.5 x 50mm, 10.9, Plt	10 BTC10050
	1	each		Bolt, Hex, 10 x 1.5 x 45mm, 10.9, Plt	20 BTC10045
	1	each		Bolt, Hex, 10 x 1.5 x 40mm, 10.9, Plt	25 BTC10040
	4	each		Bolt, Hex, 8 x 1.25 x 100mm, 10.9, Plt	30 BTC08100
	1	each		Bolt, Hex, 8 x 1.25 x 40mm, 10.9, Plt	40 BTC08040
	1	each		Bolt, Hex, 8 x 1.25 x 35mm, 10.9, Plt	50 BTC08035
	1	each		Bolt, Hex, 8 x 1.25 x 15mm, 10.9, Plt	60 BTC08015
	1	each		Capscrew, FH, 3/8-16 x 2.5", Alloy, Plt	70 CSF06250
	1	each		Nut, Hex, 10 x 1.5, 8.8, Plt	80 NTA10000
	7	each		Washer, Flat, 8mm, 8.8, Plt	90 WFA08000
	4	each		Washer, Flat, 10mm, 8.8, Plt	100 WFA10000
	7	each		Washer, Lock, 8mm, 8.8, Plt	110 WLA08000
	4	each		Washer, Lock, 10mm, 8.8, Plt	120 WLA10000
	Uof M	0.98 2 1 1 4 1 1 1 1 1 1 7 4 7	Unit Qty   7/26/2006 0.98   each 2   each 1   each 7   each 4   each 7	BinUnitQty7/26/20060.98each2each1each1each1each1each1each1each1each1each1each1each1each1each1each1each1each7each4each7	d# Description Bin Unit Qty   Bag Kit, Fasteners, KMC61374/1074 7/26/2006 0.98   Bolt, Hex, 10 x 1.5 x 50mm, 10.9, Plt each 2   Bolt, Hex, 10 x 1.5 x 45mm, 10.9, Plt each 1   Bolt, Hex, 10 x 1.5 x 45mm, 10.9, Plt each 1   Bolt, Hex, 10 x 1.5 x 40mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 100mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 100mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 35mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 35mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 35mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 15mm, 10.9, Plt each 1   Bolt, Hex, 8 x 1.25 x 15mm, 10.9, Plt each 1   Capscrew, FH, 3/8-16 x 2.5", Alloy, Plt each 1   Nut, Hex, 10 x 1.5, 8.8, Plt each 1   Washer, Flat, 8mm, 8.8, Plt each 7   Washer, Flat, 10mm, 8.8, Plt each 4   Washer, Lock, 8mm, 8.8, Plt each 7


























## **TransArctic A/C Compressor Mount Installation Disclaimer**

All compressor mounts should be installed by qualified and trained personnel using proper tools and equipment in safe working conditions following industry standard guidelines for motor vehicle service and repair.

The installer of any compressor mount purchased from TransArctic must undertake all responsibility of issues arising from that compressor bracket being installed on any vehicle. As well as insure that a **proper and sufficient ground** is established between the compressors' clutches and the vehicle's engine. Mount functionality, operation and durability can all be compromised by an incompetent installation.

Due to the many different situations, parameters and application criteria, which are beyond the compressor mount manufacturer's control, TransArctic does not warrant design, durability, or operational functionality of any compressor mount improperly installed by another party.

# With no implied guarantees it is the mount installer's strict responsibility to determine safety and functionality, of the compressor mount, at the time of installation.

Please contact TransArctic with any issue arising from installation so we may better improve the product. If you have any reservations about the compressor mount integrity contact TransArctic immediately at 1-877-COLD-AIR.