

Bill of Materials Listing

TransArctic Canada Inc.

4/13/2017
Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KMC96695		Mt Kit, ISL-D, HDX, TM-55/65,24V,'16		1/12/2017	113.30		0
10	BEL32388	Belt, Banded B gr,2388mm (94") (RBX91-2)		each	1		
20	BMC83125	Bkt, Weldm't, Adapter PI, ISL, HDX, '13		each	1		
30	BMC90012	Bkt, Weldm't, Main Base, HDX, '16'		each	1		
40	BMC90022	Bkt, Main, Idler, Weldm't, ISL, HDX, '16		each	1		
50	KCB65501	Kit, Compressor, P/S, Alt, TM-65/55, '16		each	1		
60	KPC89022	Kit, Pulley, ISL, 8.9L, 2B/X,'13		each	1		
70	PUA05001	Pulley, Assy, Idler, B/S, 5", Stl, Plt		each	1		
80	PUA05012	Pulley, Assy, Idler,B/BX gr,5", STL,Plt		each	1		
85	SCD16012	Spacer, Col, Drl,16 mm x 34.9o x 12.3i		each	1		
95	SCD21912	Spacer, Col, Drl,21.9mm x 25.4o x 12.3i		each	1		
100	SLV17012	Sleeve, Pulley, 16.9o x 22.23mm x 12.32i		each	2		
110	KBC96694	Bag Kit, Fasteners, KMC96694		each	1		

Bill of Materials Listing

TransArctic Canada Inc.

4/13/2017
Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KBC96595		Bag Kit, Fasteners, KMC96595		11/21/2016	3.35		0
10	BTC10045	Bolt, Hex, 10 x 1.5 x 45mm, 10.9, Plt,FT		each	3		
20	BTC12080	Bolt, Hex, 12 x 1.75 x 80mm, 10.9,Plt,FT		each	2		
30	BTP08653	Bolt, Hex, 1/2-13unc, 6.5", 5, Plt, FT		each	1		
40	BTQ06125	Bolt, Hex, 3/8-16unc, 1.25", 8, Plt		each	5		
50	BTQ08101	Bolt, Hex, 1/2-20unf, 1.00", 8, Plt		each	4		
60	BTQ08125	Bolt, Hex, 1/2-13unc, 1.25", 8, Plt		each	2		
70	BTQ08151	Bolt, Hex, 1/2-20unf, 1.5", 8, Plt		each	2		
80	CSF08076	Capscrew, FH, 1/2-20unf x .75",Alloy,Plt		each	2		
90	CSF08101	Capscrew, FH, 1/2-20unf x 1.0",Alloy,Plt		each	4		
100	NTA10000	Nut, Hex, 10 x 1.5, 8.8, Plt		each	3		
110	NTA12000	Nut, Hex, 12 x 1.75, 8.8, Plt		each	2		
120	NTQ06000	Nut, Hex, 3/8-16unc, 8, Plt		each	5		
130	WFA10002	Washer, Flat, 10mm, Hvy, 8.8, Plt		each	6		
140	WFA12002	Washer, Flat, 12mm, Hvy, 8.8, Plt		each	2		
150	WFQ08000	Washer, Flat, 1/2", 8, Plt		each	8		
160	WFS06002	Washer, Flat, 3/8", L9, Plt		each	10		
170	WLA10000	Washer, Lock, 10mm, 8.8, Plt		each	3		
180	WLA12000	Washer, Lock, 12mm, 8.8, Plt		each	2		
190	WLQ06000	Washer, Lock, 3/8", 8, Plt		each	5		
200	WLQ08000	Washer, Lock, 1/2", 8, Plt		each	9		

Bill of Materials Listing

TransArctic Canada Inc.

12/22/2016

Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KCB65501		Kit, Compressor, P/S, Alt, TM-65/55, '16		8/10/2016	92.09		0
10	BMN80008	Vibration Isolator, Bar,16.50 x 2 x 1.50		each	2		
20	BMN80025	Bkt, Back, PL, Slide, IC, RE300		each	1		
30	BMZ00043	Bkt, Main, Base Pl, '13		each	1		
40	BTP08653	Bolt, Hex, 1/2-13unc, 6.5", 5, Plt, FT		each	1		
50	BTQ08101	Bolt, Hex, 1/2-20unf, 1.00", 8, Plt		each	4		
60	CSF08076	Capscrew, FH, 1/2-20unf x .75",Alloy,Plt		each	2		
70	KAC65501	Kit, Alternator, TM-65, Curb Side, '13		each	1		
80	KBT65501	Kit, Platform, P/S, TM-55/65, '16		each	1		
90	WFQ08000	Washer, Flat, 1/2", 8, Plt		each	4		
100	WLQ08000	Washer, Lock, 1/2", 8, Plt		each	5		

Bill of Materials Listing

TransArctic Canada Inc.

12/22/2016

Page 1 of 1

Product Number		Description		Date	Weight	Uof M	Yield
Line	Component	Prod#	Description	Bin	Unit	Qty	
KAC65501		Kit, Alternator, TM-65, Curb Side, '13		8/10/2016	16.06		0
10	BEL11040		Belt, A gr, 1040mm (41")		each	2	
20	BMC90020		Bkt, Alt, Weldm't, Curb Side, TM65/55, '16		each	1	
30	BMT10011		Bkt, Tenr, Block, Offset, 3mm		each	2	
40	PUL03321		Pulley, ALT, Idler, 3.25"d, 2A		each	1	
50	TRD08060		Threaded, Rod, 1/2-13unc x 6", 5, Plt		each	1	
60	KBA65501		Bag Kit, Fasteners, KAC65501		each	1	

Bill of Materials Listing

TransArctic Canada Inc.

8/11/2016
Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KBA65501		Bag Kit, Fasteners, KAC65501		8/10/2016	1.55		0
10	BTC12035	Bolt, Hex, 12 x 1.75 x 35mm, 10.9,Plt,FT		each	4		
20	BTQ08150	Bolt, Hex, 1/2-13unc, 1.5", 8, Plt		each	1		
30	BTQ08200	Bolt, Hex, 1/2-13unc, 2.0", 8, Plt		each	1		
40	BTQ08653	Bolt, Hex, 1/2-13unc, 6.5", 8, Plt		each	1		
50	NTQ08000	Nut, Hex, 1/2-13unc, 8, Plt		each	7		
60	WFA12000	Washer, Flat, 12mm, 8.8, Plt		each	4		
70	WFQ08000	Washer, Flat, 1/2", 8, Plt		each	4		
80	WLA12000	Washer, Lock, 12mm, 8.8, Plt		each	4		
90	WLQ08000	Washer, Lock, 1/2", 8, Plt		each	5		

Bill of Materials Listing

TransArctic Canada Inc.

8/11/2016
Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KBT65501		Kit, Platform, TM-55/65, '16		8/10/2016	17.04		0
10	BMN80031	Bkt, Main, Slide, Assy, 05K, IC, RE300		each	1		
20	BMZ00039	Bkt, Comp, Rear, TM-65, '12		each	1		
30	BMZ00040	Bkt, Comp, FRT, TM-65, '12		each	1		
40	KBZ65501	Bag Kit, Fasteners, KBT65501		each	1		

Bill of Materials Listing

TransArctic Canada Inc.

8/11/2016

Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KBZ65501		Bag Kit, Fasteners, KBT65501		8/10/2016	0.69		0
10	BTC12035	Bolt, Hex, 12 x 1.75 x 35mm, 10.9,Plt,FT		each	4		
20	NTP07000	Nut, Hex, 7/16-14unc, 5, Plt		each	4		
30	WFA12000	Washer, Flat, 12mm, 8.8, Plt		each	4		
40	WFN07000	Washer, Flat, 7/16", 2, Plt		each	4		
50	WLA12000	Washer, Lock, 12mm, 8.8, Plt		each	4		
60	WLQ07000	Washer, Lock, 7/16", 8, Plt		each	4		

Bill of Materials Listing

TransArctic Canada Inc.

8/11/2016
Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component	Prod#		Unit	Qty		
KPC89022				10/15/2013	11.51		0
10	PUL89022			each	1		
20	BTC10050			each	5		
30	WFA10000			each	5		




Kit, Pulley, ISL, 8.9L, 2B/X,'13

Pulley, Crank, ISL, 8.9L, 2B/X, 8", '13

Bolt, Hex, 10 x 1.5 x 50mm, 10.9, Plt

Washer, Flat, 10mm, 8.8, Plt



8 7 6 5 4 3 2 1



ISOMETRIC VIEW

NOTE:
SHOWING TRANSARCTIC
COMPRESSOR PART#
CMV33644 (TM-55)
CMV38844 (TM-65)
AS REFERENCE.

NOTE:
SHOWING ALTERNATOR
AS REFERENCE.



NOTE:
TORQUE TO: 48 FT-LB PLAIN & LUBRICATED W/ CLEAN ENGINE OIL (15W-40)
(HEXBOLT CAPSCREW M10 x 1.5 x 50mm)
TIGHTEN IN TWO STEPS IN A CRIS-CROSS TIGHTENING SEQUENCE PATTERN.

NOTES:

- 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE **ALL** BOLTS TO S.A.E. SPECIFICATIONS.
- 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".

ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
28	4	EACH	WLQ08000	WASHER, LOCK, 1/2", 8, PLT
27	5	EACH	WLQ06000	WASHER, LOCK, 3/8", 8, PLT
26	2	EACH	WLA12000	WASHER, LOCK, 12mm, 8.8, PLT
25	3	EACH	WLA10000	WASHER, LOCK, 10mm, 8.8, PLT
24	10	EACH	WFS06002	WASHER, FLAT, 3/8", L9, PLT
23	4	EACH	WFO08000	WASHER, FLAT, 1/2", 8, PLT
22	2	EACH	WFA12002	WASHER, FLAT, 12mm, HVY, 8.8, PLT
21	6	EACH	WFA10002	WASHER, FLAT, 10mm, HVY, 8.8, PLT
20	2	EACH	SLV17012	SLEEVE, PULLEY, 16.90 x 22.23 mm x12.19
19	1	EACH	SCD21912	SPACER, COL, DRL 21.9mm x 31.80 x12.3
18	1	EACH	SCD16012	SPACER, COL, DRL 16 mm x 31.80 x 12.0
17	1	EACH	PUA05012	PULLEY, ASSY, IDLER, B/BX gr, 5" STL, PLT
16	1	EACH	PUA05001	PULLEY, ASSY, IDLER, B/S, 5", STL, PLT
15	5	EACH	NTQ06000	NUT, HEX, 3/8-16UNC, 8, PLT
14	2	EACH	NTA12000	NUT, HEX, 12 x 1.75, 8.8, PLT
13	3	EACH	NTA10000	NUT, HEX, 10 x 1.5, 8.8, PLT
12	1	EACH	KPC89022	KIT, PULLEY, ISL, 8.9L, 26/1, '13
11	1	EACH	KCB65501	KIT, COMPRESSOR, P/S, ALT, TM-65/55, '16
10	4	EACH	CSF08101	CAPSCREW, FH, 1/2-20UNF x 1", ALLOY, PLT
9	2	EACH	BTQ08151	BOLT, HEX, 1/2-20UNF x 1.50, 8, PLT
8	2	EACH	BTQ08125	BOLT, HEX, 1/2-13UNC x 1.25, 8, PLT
7	5	EACH	BTQ06125	BOLT, HEX, 3/8-16UNC x 1.25, 8, PLT
6	2	EACH	BTCL2080	BOLT, HEX, 12 x 1.75 x 80mm, 10.9, PLT
5	3	EACH	BTCL0045	BOLT, HEX, 10 x 1.5 x 45mm, 10.9, PLT
4	1	EACH	BMC90022	BKT, MAIN, IDLER, WELDMT, ISL, HDX, '16
3	1	EACH	BMC90012	BKT, WELDMT, MAIN BASE, HDX, '16
2	1	EACH	BMC83125	BKT, WELDMT, ADAPTER PL, ISL, HDX, '13
1	1	EACH	BEL32388	BELT, BANDED 6 gr, 238mm (94")

BILL OF MATERIALS

BROWN	11/17/2016	
JRodriguez		
CHECKED	11/17/2016	
Val Jakovlev		
GA		
James Stewart		
MFG		
Ron Ingram		
APPROVED		
Date Mason		

TRANSARCTIC INC.	
TITLE	MT KIT, ISL-D, HDX, TM-55/ 65, 24v, '16
DWG NO	KMC96695
SCALE	1:4
SHEET	1 OF 1

REVISION	DESCRIPTION	DATE	BY
0	RELEASED TO PROTOTYPE	11/17/2016	JRR
THIS DRAWING CONTAINS PROPRIETARY/CONFIDENTIAL INFORMATION OWNED BY TRANSARCTIC CANADA INC. THE DOCUMENT AND THE INFORMATION IN IT ARE NOT TO BE USED, DISCLOSED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION OF THE COMPANY.			
UNSPECIFIED TOLERANCES:			
ONE DECIMAL PLACE (X.0)	0.005	0.002	0.001
TWO DECIMAL PLACE (X.00)	0.0005	0.0002	0.0001
THREE DECIMAL PLACE (X.000)	0.00005	0.00002	0.00001
ANGULAR (X.000)	0.0001	0.00005	0.00001





DRAWING UNIT OF MEASURE: MM (INCH)


REV 0

TOP VIEW



PARTS REMOVED FOR CLARITY.



NOTE:
SHOWING COMPRESSOR
VALE OF 721455BY
AS REFERENCE.



NOTE:
SHOWING ALTERNATOR
AS REFERENCE.



ISOMETRIC VIEW

NOTES:

- 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE **ALL** BOLTS TO S.A.E. SPECIFICATIONS.
- 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".
- 3) WEIGHT: 68.75 LBS.

ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
10	5	EACH	WFO08000	WASHER, LOCK, 1/2", 8, PLT
9	4	EACH	WFO08000	WASHER, FLAT, 1/2", 8, PLT
8	1	EACH	KBT65501	KIT, PLATFORM, P/S, TM-55/65, '16
7	1	EACH	KAC65501	KIT, ALTERNATOR, TM-65, CURB SIDE, '13
6	2	EACH	CSF08076	CAPSCREW, FH, 1/2-20UNF x .75", ALLOY, PLT
5	4	EACH	BTQ08101	BOLT, HEX, 1/2-20UNF x 1.00, 5, PLT
4	1	EACH	BTP08653	BOLT, HEX, 1/2-13UNC x 6.50, 5, PLT, FT
3	1	EACH	BMZ00043	BKT, MAIN, BASE PL, '13
2	1	EACH	BMN00025	BKT, BACK, PL, SLIDE, IC, RE300
1	2	EACH	BMN00008	VIBRATION ISOLATOR, BAR, 16.50 x 2 x 1.50

BILL OF MATERIALS

BROWN	8/3/2016		
vjakowlew	8/3/2016		
CHECKED	8/3/2016		
Jose Rodriguez	8/3/2016		
REV	ECN	DESCRIPTION	DATE
1	1	RELEASED TO PRODUCTION	8/3/2016
2	1	DATE	8/3/2016
3	1	DATE	8/3/2016
4	1	DATE	8/3/2016
5	1	DATE	8/3/2016
6	1	DATE	8/3/2016
7	1	DATE	8/3/2016
8	1	DATE	8/3/2016
9	1	DATE	8/3/2016
10	1	DATE	8/3/2016
11	1	DATE	8/3/2016
12	1	DATE	8/3/2016
13	1	DATE	8/3/2016
14	1	DATE	8/3/2016
15	1	DATE	8/3/2016
16	1	DATE	8/3/2016
17	1	DATE	8/3/2016
18	1	DATE	8/3/2016
19	1	DATE	8/3/2016
20	1	DATE	8/3/2016
21	1	DATE	8/3/2016
22	1	DATE	8/3/2016
23	1	DATE	8/3/2016
24	1	DATE	8/3/2016
25	1	DATE	8/3/2016
26	1	DATE	8/3/2016
27	1	DATE	8/3/2016
28	1	DATE	8/3/2016
29	1	DATE	8/3/2016
30	1	DATE	8/3/2016
31	1	DATE	8/3/2016
32	1	DATE	8/3/2016
33	1	DATE	8/3/2016
34	1	DATE	8/3/2016
35	1	DATE	8/3/2016
36	1	DATE	8/3/2016
37	1	DATE	8/3/2016
38	1	DATE	8/3/2016
39	1	DATE	8/3/2016
40	1	DATE	8/3/2016
41	1	DATE	8/3/2016
42	1	DATE	8/3/2016
43	1	DATE	8/3/2016
44	1	DATE	8/3/2016
45	1	DATE	8/3/2016
46	1	DATE	8/3/2016
47	1	DATE	8/3/2016
48	1	DATE	8/3/2016
49	1	DATE	8/3/2016
50	1	DATE	8/3/2016
51	1	DATE	8/3/2016
52	1	DATE	8/3/2016
53	1	DATE	8/3/2016
54	1	DATE	8/3/2016
55	1	DATE	8/3/2016
56	1	DATE	8/3/2016
57	1	DATE	8/3/2016
58	1	DATE	8/3/2016
59	1	DATE	8/3/2016
60	1	DATE	8/3/2016
61	1	DATE	8/3/2016
62	1	DATE	8/3/2016
63	1	DATE	8/3/2016
64	1	DATE	8/3/2016
65	1	DATE	8/3/2016
66	1	DATE	8/3/2016
67	1	DATE	8/3/2016
68	1	DATE	8/3/2016
69	1	DATE	8/3/2016
70	1	DATE	8/3/2016
71	1	DATE	8/3/2016
72	1	DATE	8/3/2016
73	1	DATE	8/3/2016
74	1	DATE	8/3/2016
75	1	DATE	8/3/2016
76	1	DATE	8/3/2016
77	1	DATE	8/3/2016
78	1	DATE	8/3/2016
79	1	DATE	8/3/2016
80	1	DATE	8/3/2016
81	1	DATE	8/3/2016
82	1	DATE	8/3/2016
83	1	DATE	8/3/2016
84	1	DATE	8/3/2016
85	1	DATE	8/3/2016
86	1	DATE	8/3/2016
87	1	DATE	8/3/2016
88	1	DATE	8/3/2016
89	1	DATE	8/3/2016
90	1	DATE	8/3/2016
91	1	DATE	8/3/2016
92	1	DATE	8/3/2016
93	1	DATE	8/3/2016
94	1	DATE	8/3/2016
95	1	DATE	8/3/2016
96	1	DATE	8/3/2016
97	1	DATE	8/3/2016
98	1	DATE	8/3/2016
99	1	DATE	8/3/2016
100	1	DATE	8/3/2016



TRANSARCTIC INC.

KIT, COMPRESSOR, P/S, ALT, TM-65/55, '16

SIZE D DWG NO KCB65501


SCALE 1:3

SHEET 1 OF 1




ISOMETRIC VIEW

NOTE:
SHOWING COMPRESSOR
VALEO# T21485BY
AS REFERENCE.



NOTE:
SHOWING ALTERNATOR
AS REFERENCE.



NOTES:



- 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE **ALL** BOLTS TO S.A.E. SPECIFICATIONS.
- 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".
- 3) WEIGHT: 18.11 LB

14	5	EACH	WLQ08000	WASHER, LOCK, 1/2", 8, PLT
13	4	EACH	WLA12000	WASHER, LOCK, 12mm, 8.8, PLT
12	4	EACH	WFO08000	WASHER, FLAT, 1/2", 8, PLT
11	4	EACH	WFA12000	WASHER, FLAT, 12mm, 8.8, PLT
10	1	EACH	TRD08060	THREADED, ROD, 1/2-13UNC x 6", 5 PLT
9	1	EACH	PUL03321	PULLEY, ALT, IDLER, 3.25"o, 2A
8	7	EACH	NTQ08000	NUT, HEX, 1/2-13UNC, 8, PLT
7	1	EACH	BTQ08653	BOLT, HEX, 1/2-13UNC x 6.50, 8, PLT
6	1	EACH	BTQ08200	BOLT, HEX, 1/2-13UNC x 2.00, 8, PLT
5	1	EACH	BTQ08150	BOLT, HEX, 1/2-13UNC x 1.50, 8, PLT
4	4	EACH	BTC12035	BOLT, HEX, 12 x 1.75 x 35mm, 10.9, PLT
3	2	EACH	BMT10011	BKT, TENR, BLOCK, OFFSET, 3mm
2	1	EACH	BMC90020	BKT, ALT, WELDM'T, CURB SIDE, TM-65/55, '16
1	2	EACH	BEL11118	BELT, A gr, 1040mm (41")
ITEM	QTY	U/M	PART NUMBER	DESCRIPTION



BILL OF MATERIALS

DRAWN vjakowlew	8/3/2016	TRANSARCTIC INC.
CHECKED Jose Rodriguez	8/3/2015	
QA James Stewart	8/3/2016	TITLE KIT, ALTERNATOR, TM-65, CURB SIDE, '13
MFG James Stewart	8/3/2015	
APPROVED Dale Mason	8/3/2015	SIZE C
DRAWING UNIT OF MEASURE:	MM [INCH]	SCALE 1:4
		DWG NO KAC65501
		REV 0
		SHEET 1 OF 1

0	RELEASED TO PRODUCTION	8/3/2016	JRR
REV	ECN	DESCRIPTION	DATE
THIS DRAWING CONTAINS PROPRIETARY CONFIDENTIAL INFORMATION OWNED BY TRANSARCTIC CANADA INC. THE DOCUMENT AND THE INFORMATION IN IT ARE NOT TO BE USED, DISCLOSED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION OF THE COMPANY.			
UNSPECIFIED TOLERANCES: [ALT. DIM.]			
ONE DECIMAL PLACE (.X)	.50	[.020]	
TWO DECIMAL PLACE (.XX)	.25	[.010]	
THREE DECIMAL PLACE (.XXX)	.10	[.005]	
FRACTIONAL +/- 1/32"	ANGULAR +/- .50°		
THIRD ANGLE PROJECTION			




ISOMETRIC VIEW




x4 5 7 9

NOTES:

- 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE **ALL** BOLTS TO S.A.E. SPECIFICATIONS.
- 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".
- 3) WEIGHT: 16.47 LBS.

0	RELEASED TO PRODUCTION	8/8/2016	JR	
REV	ECN	DESCRIPTION	DATE	BY
THIS DRAWING CONTAINS PROPRIETARY CONFIDENTIAL INFORMATION OWNED BY TRANSARCTIC CANADA INC.. THE DOCUMENT AND THE INFORMATION IN IT ARE NOT TO BE USED, DISCLOSED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION OF THE COMPANY.				
UNSPECIFIED TOLERANCES: (ALT. DIM.)				
ONE DECIMAL PLACE (X)	.50	(.020)		
TWO DECIMAL PLACE (XX)	.25	(.010)		
THREE DECIMAL PLACE (XXX)	.10	(.005)		
FRACTIONAL +/- 1/32"	ANGULAR	+/- .50°		
THIRD ANGLE PROJECTION				

9	4	EACH	WLQ07000	WASHER, LOCK, 7/16", 8, PLT
8	4	EACH	WLA12000	WASHER, LOCK, 12mm, 8.8, PLT
7	4	EACH	WFN07000	WASHER, FLAT, 7/16", 2, PLT
6	4	EACH	WFA12000	WASHER, FLAT, 12mm, 8.8, PLT
5	4	EACH	NTP07000	NUT, HEX, 7/16-14UNC, 5, PLT
4	4	EACH	BTC12035	BOLT, HEX, 12 x 1.75 x 35mm, 10.9, PLT
3	1	EACH	BMZ00057	BKT, COMP, REAR, Z, TM-65/55, '13
2	1	EACH	BMZ00056	BKT, COMP, FRT, Z, TM-65/55, '13
1	1	EACH	BMN80031	BKT, MAIN, SLIDE, ASSY, 05K, IC, RE300
ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
BILL OF MATERIALS				
DRAWN		8/8/2016		
JRodriguez				
CHECKED		8/8/2016		
Val Jakowlew				
QA		8/8/2016		TITLE
James Stewart				
MFG		8/8/2016		
James Stewart				
APPROVED		8/8/2016		KIT, PLATFORM, P/S, TM-55/65, '16
Dale Mason				
DRAWING UNIT OF MEASURE:		MM [INCH]		
SIZE		DWG NO		REV
C		KBT65501		
SCALE		1:2		SHEET 1 OF 1





ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
BILL OF MATERIALS				


TRANSARCTIC INC.


		D	KPC89022	0
DRAWING UNIT OF MEASURE:	MM [INCH]	SCALE	1:1	SHEET 1 OF 1















TransArctic A/C Compressor Mount Installation Disclaimer

All compressor mounts should be installed by qualified and trained personnel using proper tools and equipment in safe working conditions following industry standard guidelines for motor vehicle service and repair.

The installer of any compressor mount purchased from TransArctic must undertake all responsibility of issues arising from that compressor bracket being installed on any vehicle. As well as insure that a **proper and sufficient ground** is established between the compressors' clutches and the vehicle's engine. Mount functionality, operation and durability can all be compromised by an incompetent installation.

Due to the many different situations, parameters and application criteria, which are beyond the compressor mount manufacturer's control, TransArctic does not warrant design, durability, or operational functionality of any compressor mount improperly installed by another party.

With no implied guarantees it is the mount installer's strict responsibility to determine safety and functionality, of the compressor mount, at the time of installation.

Please contact TransArctic with any issue arising from installation so we may better improve the product. If you have any reservations about the compressor mount integrity contact TransArctic immediately at 1-877-COLD-AIR.

Mark OEM tensioner location

Install Kit

Check for Interferences

Check to ensure that the proper OEM tensioner orientation is maintained

Run engine with A/C system engaged for at least 10 minutes to run in belt

Check OEM tensioner orientation and adjust as required

Responsabilidad limitada de TransArctic en la instalación del soporte del compresor

Todos los soportes de los compresores deben ser instalados por personas calificadas y entrenadas, usando para ello los equipos y herramientas necesarios para esta labor en buenas condiciones y según las normas y guías para el servicio y/o reparación de motores de vehículos.

El instalador de los soportes comprados en TransArctic asume toda la responsabilidad de cualquier problema que surga en el soporte del compresor al vehículo; de igual manera es responsable que el cable a tierra sea conectado entre el embrague del compresor y el motor del vehículo.

Se advierte que el buen funcionamiento y la durabilidad del soporte pueden ser comprometidos por defectos en su instalación.

Debido a las diversas situaciones que se puedan presentar fuera del control del fabricante, TransArctic no garantiza el diseño, la durabilidad o el correcto funcionamiento de cualquier equipo inapropiadamente instalado por terceros.

Esta sobreentendido que el Instalador del montaje del compresor es estrictamente responsable de la seguridad y funcionamiento del equipo en el momento de la instalación.

Si tuviera algún problema o duda acerca de la instalación del soporte del compresor pongase en contacto inmediatamente con TransArctic al teléfono 1-877-COLD-AIR de modo que podamos mejorar nuestro producto.

Note la ubicación del medidor de tensión OEM

Instale el equipo

Controlar si hay interferencias.

Asegurese que el medidor de tensión mantenga la orientación justa.

Encienda el motor por lo menos 10 minutos con el sistema A/C enganchado para que la correa corra

Controle la orientación justa del medidor de tensión y ajuste a las condiciones requeridas del fabricante