



D

C

B

A



BATTERY FUSE NOTE:
 FUSE (100 AMP) MUST BE MOUNTED WITHIN 12" OF THE SOURCE. FUSE MCC PART NO. 22-02336-31 AND HOLDER 22-01800-00 SHOULD BE HOOKED UP WITH RED 4 GAUGE SOX WIRE MCC P/N 22-62241.

SEE NOTE 3.0

PANEL ASSY #Y25-00012-00


SEE NOTE 3.0

GROUND EVAP. TO CHASSIS AT CLOSEST POINT TO AVOID VOLTAGE LOSS

GROUND CONDENSER TO CHASSIS AT CLOSEST POINT TO AVOID VOLTAGE LOSS.

1	INITIAL RELEASE	JAN 9, 2015	TDL	KMS	ECN-8848
SYM	REVISION RECORD	DATE	BY	ENGR.	M.E.
					NPCA NO.

CAD SYSTEM: AutoCAD



MATERIAL

IMPERIAL INCH FORMAT:
 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES, WITH METRIC CONVERSIONS IN [MILLIMETERS].

UNLESS OTHERWISE SPECIFIED TOLERANCES ON:

.00 DEC	.000 DEC	DEC	ANG
± .04	± .020	±	± 2'
[.0] DEC	[.00] DEC	DEC	
± [1.0]	± [.50]	± []	

SURFACES	HOLE DIA.	HOLE SPACING	HOLE LOC
✓ AA	± .005 ± [.13]	± .015 ± [.38]	± .03 ± [.8]
		NON-CUMULATIVE	

DIMENSIONS IN (PARENTHESIS) ARE FOR INFORMATION ONLY. TOLERANCES DO NOT APPLY.

THIS DOCUMENT AND THE INFORMATION CONTAINED THEREIN IS PROPRIETARY TO MOBILE CLIMATE CONTROL AND SHALL NOT BE USED OR DISCLOSED TO OTHERS, IN WHOLE OR IN PART, WITHOUT THE WRITTEN AUTHORIZATION OF MOBILE CLIMATE CONTROL.

TITLE		WIRE DIAGRAM	
		(2) EM W/K430 3 SPD CTRL	
SIZE	DRAWING NO.	REV	
D	Y66-00060	1	
SHEET 1 OF 1			
NEXT DRAWING	SCALE	1:2	
NONE			

REV Y66-00060

DWG NO

COMMODITY CODE